	Hits	Search Text	DBs
1	1	("5889943").PN.	USPAT; USOCR
2	42	"5832208".URPN.	USPAT
3	307	(e$1mail or "electronic message" or "electronic mail") near5 $virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	54	((e$1mail or "electronic message" or "electronic mail") near5 $virus) and ((attachment or file$1) with scan$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	14	"5889943".URPN.	USPAT
6	23	$virus and $mail and "trend micro"	US-PGPUB; USPAT
7	8	US-5414833-$.DID. OR US-5440723-$.DID. OR US-5623600-$.DID. OR US-5832208-$.DID. OR US-5889943-$.DID. OR US-5960170-$.DID. OR US-6058168-$.DID. OR US-6065043-$.DID.	USPAT
8	8	(client near3 (mail or e$1mail or "electronic message" or "electronic mail")) same ($virus near4 scan$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	(virus near2 (identity or pattern)) with ((updat$3 or refresh$3) near5 period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1	(virus near2 (identity or pattern)) same ((updat$3 or refresh$3) near5 period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	6	virus same ((updat$3 or refresh$3) near5 period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	("6035423").PN.	USPAT; USOCR
13	16	virus same ((updat$3 or refresh$3) near5 (period or schedul$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	32	virus and (configur$5 same ((updat$3 or refresh$3) near5 (period or schedul$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	7	("5274815" | "5319776" | "5414833" | "5440723" | "5511163" | "5623600" | "5649095").PN.	USPAT
16	17	("4975950" | "5278901" | "5319776" | "5321840" | "5414833" | "5428795" | "5440723" | "5444850" | "5448668" | "5452442" | "5485575" | "5491791" | "5511163" | "5530757" | "5550976" | "5550984" | "5623600").PN.	USPAT
17	0	"client-based" near5 anti$1virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	1	"client-based" near5 $virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	6826	713/188,200-201;709/206.ccls.	US-PGPUB; USPAT
20	39	713/188,200-201;709/206.ccls. and ($mail with $virus) and ((scan$3 or test$3) near3 (file$1 or attachment$1))	US-PGPUB; USPAT
21	54	713/188.ccls. and $mail	US-PGPUB; USPAT

	Hits	Search Text	DBs
22	1	("6397335").PN.	USPAT; USOCR
23	4074	709/206,220-221.ccls.	US-PGPUB; USPAT
24	17	709/206,220-221.ccls. and (virus near5 update)	US-PGPUB; USPAT
25	67	709/206,220-221.ccls. and (anti$1virus or (virus near3 (scan$3 or detect$3))) and configur$5	US-PGPUB; USPAT
26	13	(709/206,220-221.ccls. and (anti$1virus or (virus near3 (scan$3 or detect$3))) and configur$5) and (configur$5 near5 update)	US-PGPUB; USPAT
27	1	anti$1virus same (add$1in or add$1on) and $mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	1	("6725377").PN.	USPAT; USOCR
29	33	$1virus with (file near3 name$1)	USPAT
30	1	(client$1side or client$1based) same (virus near5 scan$3) and $mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	31	client with (virus near5 scan$3) and $mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	17	virus near5 update with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	47	"5832208".URPN.	USPAT
34	76	((e$1mail or "electronic message" or "electronic mail") near5 $virus) and ((attachment or file$1) with scan$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	19	"5889943".URPN.	USPAT

	Hits	Search Text	DBs
36	38	$virus and $mail and "trend micro"	US-PGPUB; USPAT
37	12	S124 and (virus with update)	US-PGPUB; USPAT
38	11	(client near3 (mail or e$1mail or "electronic message" or "electronic mail")) same ($virus near4 scan$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1	(virus near63 (identity or pattern or definition or signature or fingerprint)) with ((updat$3 or refresh$3) near5 period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	213	(virus near63 (identity or pattern or definition or signature or fingerprint)) with (updat$3 or refresh$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	72	(virus near63 (identity or pattern or definition or signature or fingerprint)) with (updat$3 or refresh$3) same servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	38	(virus near63 (identity or pattern or definition or signature or fingerprint)) with (updat$3 or refresh$3) with servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	23	virus same ((updat$3 or refresh$3) near5 (period or schedul$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	38	virus and (configur$5 same ((updat$3 or refresh$3) near5 (period or schedul$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	6	(client$1based or client$1side) near5 $virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
46	59	713/188,200-201;709/206.ccls. and ($mail with $virus) and ((scan$3 or test$3) near3 (file$1 or attachment$1))	US-PGPUB; USPAT
47	28	709/206,220-221.ccls. and (virus near5 update)	US-PGPUB; USPAT
48	19	(709/206,220-221.ccls. and (anti$1virus or (virus near3 (scan$3 or detect$3))) and configur$5) and (configur$5 near5 update)	US-PGPUB; USPAT
49	12	(anti$1virus or virus) same (add$1in or add$1on) and $mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	1	(client$1side or client$1based) same (virus near5 scan$3) and $mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	47	client with (virus near5 scan$3) and $mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	304	((updat$3 or upgrad$3 or refresh$3) near4 (definition or signature or configuration)) same ((open$3 or activat$3 or receiv$3) near4 (email or e$1mail or electronic adj mail or attachment or attached or program or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	6	S140 and (virus near3 (definition or signature or configuration)) and (@ad<"20001228" or @rlad<"20001228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB